



A 001 986 28 71 10

Stain remover

Print date 16.05.2023
Revision date 17.02.2023
Version 18.2 (en)
replaces version of 25.10.2022 (18.1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation Stain remover
Product category PC-CLN-16.OTH Other textile and leather cleaning and care products (including footwear)

Hazard components for labelling

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture
cleaner

1.3 Details of the supplier of the safety data sheet

Supplier

Mercedes-Benz AG
70546 Stuttgart
Germany
+49 (0)711 17-0
Telefon + 49 (0)711 17-97390
Telefax + 49 (0)711 17-94831
E-Mail (fachkundige Person) mercedes-benz-sdb@mercedes-benz.com

Manufacturer

Mercedes-Benz AG

70546 Stuttgart
Germany

Telephone +49 711 17-0
E-mail (competent person):
mercedes-benz-sdb@mercedes-benz.com

1.4 Emergency telephone number

+49 711 17-0
gms.aftersales.mercedes-benz.com
Giftnotruf der Charité – Universitätsmedizin Berlin +49 (0)30 30686700

! SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]	Classification procedure
--	--------------------------

Flam. Liq. 3, H226
STOT SE 3, H336
Asp. Tox. 1, H304
Aquatic Chronic 3, H412



A 001 986 28 71 10

Stain remover

Print date 16.05.2023
Revision date 17.02.2023
Version 18.2 (en)
replaces version of 25.10.2022 (18.1)

hazard statements for physical hazards

H226 Flammable liquid and vapour.

hazard statements for health hazards

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

! 2.2 Label elements

! Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components for labelling

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hazard pictograms



GHS02



GHS07



GHS08

Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

! Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing mist/vapours/spray.

P331 Do NOT induce vomiting.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with regional regulations.

Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

Other labelling

≥ 30% aliphatic hydrocarbons

2.3 Other hazards

Adverse human health effects and symptoms

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Adverse environmental effects

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**A 001 986 28 71 10****Stain remover**

Print date 16.05.2023
 Revision date 17.02.2023
 Version 18.2 (en)
 replaces version of 25.10.2022 (18.1)

SECTION 3: Composition / information on ingredients**3.1 Substances**

not applicable

3.2 Mixtures**Hazardous ingredients**

CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
	927-241-2	hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	50 - 100 %	Flam. Liq. 3 ; H226 STOT SE 3 ; H336 Asp. Tox. 1 ; H304 Aquatic Chronic 3 ; H412	ATE(oral): > 5000 mg/kg ATE(dermal): > 5000 mg/kg ATE(Acute inhalation toxicity (aerosol)): 4951 mg/L
111-76-2	203-905-0	2-butoxyethanol	2.5 - 5 %	Acute Tox. 4 ; H332 Acute Tox. 4 ; H312 Acute Tox. 4 ; H302 Eye Irrit. 2 ; H319 Skin Irrit. 2 ; H315	ATE(oral): > 1300 mg/kg ATE(oral): 1200 mg/kg ATE(dermal): > 2000 mg/kg ATE(dermal): 2000 mg/kg ATE(inhalation dust/mist): > 3.9 mg/L ATE(inhalation vapour): 11 mg/L

REACH No.	Substance name
01-2119471843-32	hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics
01-2119475108-36	2-butoxyethanol

! SECTION 4: First aid measures**! 4.1 Description of first aid measures****Following inhalation**

Provide fresh air.
 In the event of symptoms refer for medical treatment.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap.
 In case of skin irritation, consult a physician.

! After eye contact

Remove contact lens
 In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.



A 001 986 28 71 10

Stain remover

Print date 16.05.2023
Revision date 17.02.2023
Version 18.2 (en)
replaces version of 25.10.2022 (18.1)

Following ingestion

Do NOT induce vomiting.
Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam
Dry extinguishing powder
Carbon dioxide (CO₂)
Water spray jet

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Fire gas of organic material has to be classed invariably as respiratory poison.

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Keep away unprotected persons

For emergency responders

Provide adequate ventilation.
Personal protection equipment
Keep away unprotected persons

6.2 Environmental precautions

Do not allow to enter into surface water or drains.
Do not allow to enter into soil/subsoil.
Inform respective authorities in case of seepage into water course or sewage system.



A 001 986 28 71 10

Stain remover

Print date 16.05.2023
Revision date 17.02.2023
Version 18.2 (en)
replaces version of 25.10.2022 (18.1)

6.3 Methods and material for containment and cleaning up

For containment

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).
After taking up the material dispose according to regulation.

6.4 Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Provide for appropriate ventilation/aspiration at the work station
Keep away from sources of ignition - No smoking.
Take precautionary measures against static discharges.
All work processes must always be designed so that the following is as low as possible:
Skin contact
Do not inhale gases/vapours/aerosols.

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff.
Keep away from food and drink.
Wash hands before breaks and after work.
Use protective skin cream before handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container.

Storage class

3 Flammable liquids

Further information on storage conditions

Keep container tightly closed in a cool, well-ventilated place.
Keep away from heat, sparks, open flames and other ignition sources.

7.3 Specific end use(s)

Recommendation

See section 1.2

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

CAS No.	EC No.	Substance name	occupational exposure limit value
111-76-2	203-905-0	2-Butoxyethanol	20 [ml/m3(ppm)] 98 [mg/m3] Short-term(ml/m3) 50 Short-term(mg/m3) 246 skin resorptive 2000/39/EC

**A 001 986 28 71 10****Stain remover**

Print date 16.05.2023
 Revision date 17.02.2023
 Version 18.2 (en)
 replaces version of 25.10.2022 (18.1)

CAS No.	EC No.	Substance name	occupational exposure limit value
111-76-2		2-Butoxyethanol	20 [ml/m ³ (ppm)] 98 [mg/m ³] Short-term(ml/m ³) 50 (1) Short-term(mg/m ³) 246 (1) (1) 15 minutes reference period (IE)
111-76-2		2-Butoxyethanol	25 [ml/m ³ (ppm)] 123 [mg/m ³] Short-term(ml/m ³) 50 Short-term(mg/m ³) 246 (UK)

DNEL worker

CAS No.	Substance name	DNEL value	DNEL type	Remark
111-76-2	2-butoxyethanol	89 mg/kg bw/day	acute dermal, short-term (systemic)	
111-76-2	2-butoxyethanol	663 mg/m ³	acute inhalative (systemic)	
111-76-2	2-butoxyethanol	246 mg/m ³	acute inhalative (local)	
111-76-2	2-butoxyethanol	75 mg/kg bw/day	long-term dermal (systemic)	
111-76-2	2-butoxyethanol	98 mg/m ³	acute inhalative (systemic)	
1174921-73-3	hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	77 mg/kg bw/day	long-term dermal (systemic)	
1174921-73-3	hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	871 mg/m ³	long-term inhalative (systemic)	

DNEL Consumer

CAS No.	Substance name	DNEL value	DNEL type	Remark
111-76-2	2-butoxyethanol	44.5 mg/kg bw/day	acute dermal, short-term (systemic)	
111-76-2	2-butoxyethanol	426 mg/m ³	acute inhalative (systemic)	
111-76-2	2-butoxyethanol	13.4 mg/kg bw/day	short-term oral (acute)	
111-76-2	2-butoxyethanol	123 mg/m ³	acute inhalative (local)	
111-76-2	2-butoxyethanol	38 mg/kg bw/day	acute dermal, short-term (systemic)	
111-76-2	2-butoxyethanol	49 mg/m ³	long-term inhalative (systemic)	
111-76-2	2-butoxyethanol	3.2 mg/kg bw/day	short-term oral (acute)	
1174921-73-3	hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	46 mg/kg bw/day	long-term oral (repeated)	
1174921-73-3	hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	46 mg/kg bw/day	long-term dermal (systemic)	
1174921-73-3	hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	185 mg/m ³	long-term inhalative (systemic)	

PNEC

CAS No.	Substance name	PNEC Value	PNEC type	Remark
111-76-2	2-butoxyethanol	8.8 mg/L	aquatic, freshwater	
111-76-2	2-butoxyethanol	0.88 mg/L	aquatic, marine water	



A 001 986 28 71 10

Stain remover

Print date 16.05.2023
 Revision date 17.02.2023
 Version 18.2 (en)
 replaces version of 25.10.2022 (18.1)

CAS No.	Substance name	PNEC Value	PNEC type	Remark
111-76-2	2-butoxyethanol	34.6 mg/kg	sediment, freshwater	
111-76-2	2-butoxyethanol	2.8 mg/kg	soil	
111-76-2	2-butoxyethanol	463 mg/L	sewage treatment plant (STP)	
111-76-2	2-butoxyethanol	3.46 mg/kg	sediment, marine water	

8.2 Exposure controls

Appropriate engineering controls

Technical measures to prevent exposure

Sufficient ventilation and exhaustion.

Personal protection equipment

Eye/face protection

safety goggles
 EN 166

Hand protection

Information on glove materials [type, thickness, stroke-through time/wearing time, wet strength]: nitrile, > 0.7 mm, > 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374.

Body protection:

Protective clothing

Respiratory protection

Respiratory protection necessary at:
 aerosol or mist formation
 high concentrations

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

liquid

Colour

colourless

Odour

product-specific

Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:	not determined		
Melting point/freezing point	not determined		
Boiling point or initial boiling point and boiling range			

**A 001 986 28 71 10****Stain remover**

Print date 16.05.2023
 Revision date 17.02.2023
 Version 18.2 (en)
 replaces version of 25.10.2022 (18.1)

	Value	Method	Source, Remark
flammability	solid		not applicable
flammability	gaseous		not applicable
Lower and upper explosion limit	not determined		
Flash point	28 °C		
Auto-ignition temperature			The product is not self-igniting.
Decomposition temperature	not determined		
pH			not applicable insoluble in water
Viscosity	not determined		
Solubility(ies)	Water solubility		No or low immiscibility
Partition coefficient n-octanol/water (log value)	not determined		
Vapour pressure	not determined		
Density and/or relative density	0.76 (20°C)		
Relative vapour density	not determined		
particle characteristics	not determined		

9.2 Other information**Other safety characteristics**

	Value	Method	Source, Remark
Explosive properties:			Does not apply; nevertheless can be produced explosive vapour/air mixtures

Other information

none

SECTION 10: Stability and reactivity**10.1 Reactivity**

No hazardous reactions known.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Keep away from heat, flames, sparks and other sources of ignition.

**A 001 986 28 71 10****Stain remover**

Print date 16.05.2023
 Revision date 17.02.2023
 Version 18.2 (en)
 replaces version of 25.10.2022 (18.1)

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Additional information

No risk of production of decomposition products when appropriately handled and stored

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity****Animal data**

	Effective dose	Method, Evaluation	Source, Remark
Acute oral toxicity	CAS No. hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics > 5000 mg/kg Species Rat	OECD 401	
	CAS No. 111-76-2 2-butoxyethanol LD50: > 1300 mg/kg Species Rat	OECD 401	
Acute dermal toxicity	CAS No. 111-76-2 2-butoxyethanol ATE 1200 mg/kg		
	CAS No. hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics > 5000 mg/kg Species Rabbit	OECD 402	
Acute inhalation toxicity	CAS No. 111-76-2 2-butoxyethanol LD50: 2000 mg/kg Species Rat		
	CAS No. 111-76-2 2-butoxyethanol ATE > 2000 mg/kg		
	CAS No. hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics Acute inhalation toxicity (aerosol) 4951 mg/L Species Rat Exposure time 4 h	OECD 403	
	CAS No. 111-76-2 2-butoxyethanol Acute inhalation toxicity (dust/mist) LC50: > 3.9 mg/L Species Rat Exposure time 4 h		



A 001 986 28 71 10

Stain remover

Print date 16.05.2023
Revision date 17.02.2023
Version 18.2 (en)
replaces version of 25.10.2022 (18.1)

Effective dose	Method,Evaluation	Source, Remark
CAS No.111-76-2 2-butoxyethanol Acute inhalation toxicity (vapour) ATE 11 mg/L		

Assessment/classification

The classification criteria have not been met according to the available data.

Skin corrosion/irritation

Assessment/classification

Based on available data, the classification criteria are not met.
Frequent or prolonged contact with the skin can degrease the skin and lead to skin complaints and dermatitis.

Serious eye damage/irritation

Assessment/classification

Based on available data, the classification criteria are not met.
Repeated or prolonged contact with the eyes may cause eye irritation.

Sensitisation to the respiratory tract

Assessment/classification

Based on available data, the classification criteria are not met.

Skin sensitisation

Assessment/classification

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Assessment/classification

Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment/classification

Based on available data, the classification criteria are not met.

Reproductive toxicity

Assessment/classification

Based on available data, the classification criteria are not met.

Overall Assessment on CMR properties

The classification criteria have not been met according to the available data.

STOT-single exposure

STOT SE 1 and 2

Assessment/classification

Based on available data, the classification criteria are not met.



A 001 986 28 71 10

Stain remover

Print date 16.05.2023
 Revision date 17.02.2023
 Version 18.2 (en)
 replaces version of 25.10.2022 (18.1)

STOT SE 3

Irritation to respiratory tract

Assessment/classification

Based on available data, the classification criteria are not met.

Narcotic effects

Assessment/classification

May cause drowsiness or dizziness.

STOT-repeated exposure

Assessment/classification

Based on available data, the classification criteria are not met.

Aspiration hazard

Assessment/classification

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Symptoms related to the physical, chemical and toxicological characteristics

	Effective dose	Method,Evaluation	Source, Remark
Endocrine disrupting properties			The substance/this mixture does not contain any components, which have endocrine disrupting properties in quantities of 0.1% or more, in accordance with REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

	Effective dose	Method,Evaluation	Source, Remark
Acute (short-term) fish toxicity	CAS No. hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics LC50: >10- 30 mg/L Species Oncorhynchus mykiss (Rainbow trout) Test duration 96 h	OECD 203	
	CAS No. 111-76-2 2-butoxyethanol LC50: 1474 mg/L Species Oncorhynchus mykiss (Rainbow trout) Test duration 96 h	OECD 203	

**A 001 986 28 71 10****Stain remover**

Print date 16.05.2023
 Revision date 17.02.2023
 Version 18.2 (en)
 replaces version of 25.10.2022 (18.1)

	Effective dose	Method,Evaluation	Source, Remark
	CAS No. hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics NOEC 0.182 mg/L Species Oncorhynchus mykiss (Rainbow trout) Test duration 28 d	bibliography	
	CAS No. 111-76-2 2-butoxyethanol LC50: 1700 mg/L Species Carassius auratus (goldfish) Test duration 24 h		
Chronic (long-term) fish toxicity	not determined		
Acute (short-term) toxicity to crustacea	CAS No. hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics EL50 >22- 46 mg/L Species Daphnia magna (Big water flea) Test duration 48 h	OECD 202	
	CAS No. hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics NOEC 0.317 mg/L Species Daphnia magna (Big water flea) Test duration 21 d	bibliography	
	CAS No. 111-76-2 2-butoxyethanol EC50 1550 mg/L Test duration 48 h		
Chronic (long-term) toxicity to aquatic invertebrate	CAS No. 111-76-2 2-butoxyethanol NOEC > 100 mg/L Species Daphnia magna (Big water flea) Test duration 21 d	OECD 211	
Acute (short-term) toxicity to algae and cyanobacteria	CAS No. hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics EC50 > 1000 mg/L Species Pseudokirchneriella subcapitata Test duration 72 h	OECD 201	
	CAS No. hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics NOELR < 1 mg/L Species Pseudokirchneriella subcapitata (green alga) Test duration 72 h		
	CAS No. 111-76-2 2-butoxyethanol EC50 911 mg/L Species Pseudokirchneriella subcapitata (green alga) Test duration 72 h		

**A 001 986 28 71 10****Stain remover**

Print date 16.05.2023
 Revision date 17.02.2023
 Version 18.2 (en)
 replaces version of 25.10.2022 (18.1)

	Effective dose	Method,Evaluation	Source, Remark
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	CAS No.111-76-2 2-butoxyethanol NOEC > 280 mg/L Species Pseudokirchneriella subcapitata	OECD 201	
Toxicity to microorganisms	not determined		

Assessment/classification

Harmful to aquatic life.
 Harmful to fish.

12.2 Persistence and degradability

	Value	Method	Source, Remark
Biodegradation	Degradation rate 89	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	CAS No. hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics 28 d biodegradable
Biodegradation	Degradation rate 90.4- 95	OECD 301E/ EEC 92/69/V, C.4-B	CAS No.111-76-2 2-butoxyethanol Easily biodegradable

12.3 Bioaccumulative potential

	Value	Method	Source, Remark
Bioconcentration factor (BCF)	Bioconcentration factor (BCF) 144.3	calculated	CAS No. hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

	Effective dose	Method,Evaluation	Source, Remark
Endocrine disrupting properties			The substance/this mixture does not contain any components, which have endocrine disrupting properties in quantities of 0.1% or more, in accordance with REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605.

**A 001 986 28 71 10****Stain remover**

Print date 16.05.2023
 Revision date 17.02.2023
 Version 18.2 (en)
 replaces version of 25.10.2022 (18.1)

12.7 Other adverse effects**Additional ecotoxicological information****Additional information**

Do not allow uncontrolled discharge of product into the environment.
 Harmful to fish and aquatic organisms
 Product is not allowed to be discharged into the ground water or aquatic environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Appropriate disposal / Product**

Do not dispose together with domestic waste
 Dispose of waste according to applicable legislation.
 Avoid penetration into sewage system

Appropriate disposal / Package

Dispose of waste according to applicable legislation.

Remark

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1 UN number or ID number	3295	3295	3295
14.2 UN proper shipping name	HYDROCARBONS, LIQUID, N.O.S. (Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane, Cyclene, <2% Aromaten)	HYDROCARBONS, LIQUID, N.O.S. (Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane, Cyclene, <2% Aromaten)	Hydrocarbons, liquid, n.o.s. (Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane, Cyclene, <2% Aromaten)
14.3 Transport hazard class(es)	3	3	3
14.4 Packing group	III	III	III
14.5 Environmental hazards	No	No	No
14.6 Special precautions for user	No data available		
14.7 Maritime transport in bulk according to IMO instruments	not applicable		

Land transport (ADR/RID)

UN number or ID number 3295
 UN proper shipping name HYDROCARBONS, LIQUID, N.O.S. (Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane, Cyclene, <2% Aromaten)
 Transport hazard class(es) 3
 Hazard label(s) 3
 Classification code: F1



A 001 986 28 71 10

Stain remover

Print date 16.05.2023
Revision date 17.02.2023
Version 18.2 (en)
replaces version of 25.10.2022 (18.1)

Packing group	III
Environmental hazards	No
Limited quantity (LQ)	5 L
Special Provisions	-
tunnel restriction code	D/E

Remark

Transport as "limited quantity" according to chapter 3.4 ADR/RID

Sea transport (IMDG)

UN number or ID number	3295
UN proper shipping name	HYDROCARBONS, LIQUID, N.O.S. (Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane, Cyclene, <2% Aromaten)
Transport hazard class(es)	3
Packing group	III
Environmental hazards	No
Limited quantity (LQ)	5 L
Marine pollutant	-
EMS	F-E, S-D

Air transport (ICAO-TI / IATA-DGR)

UN number or ID number	3295
UN proper shipping name	Hydrocarbons, liquid, n.o.s. (Kohlenwasserstoffe, C9-C10, n-Alkane, Isoalkane, Cyclene, <2% Aromaten)
Transport hazard class(es)	3
Packing group	III
Environmental hazards	No

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations (EU)

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC
VOC content, delivery state 100 %

15.2 Chemical Safety Assessment

National regulations

Substance safety analysis was not performed for this mixture.

SECTION 16: Other information

Indication of changes

* Data changed compared with the previous version
Current safety data sheets are available at:
<https://gms.aftersales.mercedes-benz.com>



A 001 986 28 71 10

Stain remover

Print date 16.05.2023
Revision date 17.02.2023
Version 18.2 (en)
replaces version of 25.10.2022 (18.1)

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Flam. Liq. 3: Flammable Liquids, Category 3

STOT SE 3, H336: Specific target organ toxicity (single exposure), Category 3 (narcotic effects)

Asp. Tox. 1: Aspiration toxicity, Category 1

Aquatic Chronic 3: Long-term (chronic) aquatic hazard, Category 3

Key literature references and sources for data

Safety data sheets of suppliers

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified according to the available hazard data for the constituents as defined in the classification criteria for mixtures for each hazard class in Appendix I of Regulation (EC) No 1272/2008.

Classification method:

Calculation

Test data

Additional information

Adhere to existing national and local rules referring to chemicals.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Relevant H- and EUH-phrases (Number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.