



A 001 986 94 71

Cleaning agents for plastics, prevents stress cracking

Print date 26.02.2023
Revision date 06.02.2023
Version 2.1 (en)
replaces version of 27.09.2021 (2.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation Cleaning agents for plastics, prevents stress cracking
Product category PC-CLN-17.3 Interior cleaning and care products (excludes air care products, and products for upholstery or leather)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture
cleaner

1.3 Details of the supplier of the safety data sheet

Supplier

Mercedes-Benz AG
70546 Stuttgart
Germany
+49 (0)711 17-0
Telefon + 49 (0)711 17-97390
Telefax + 49 (0)711 17-94831
E-Mail (fachkundige Person) mercedes-benz-sdb@mercedes-benz.com

Manufacturer

Mercedes-Benz AG

70546 Stuttgart
Germany

Telephone +49 711 17-0
E-mail (competent person):
mercedes-benz-sdb@daimler.com

1.4 Emergency telephone number

+49 711 17-0
gms.aftersales.mercedes-benz.com
Giftnotruf der Charité – Universitätsmedizin Berlin +49 (0)30 30686700

! SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Remark

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

! 2.2 Label elements

! **Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

! **Precautionary statements**

P102 Keep out of reach of children.

Special rules for supplemental label elements for certain mixtures

EUH210 Safety data sheet available on request.



A 001 986 94 71

Cleaning agents for plastics, prevents stress cracking

Print date 26.02.2023
 Revision date 06.02.2023
 Version 2.1 (en)
 replaces version of 27.09.2021 (2.0)

! Additional information

The labelling of this product was determined entirely or in part on the basis of test data.

! 2.3 Other hazards

! Adverse human health effects and symptoms

Der Stoff/dieses Gemisch enthält keine Bestandteile, die gemäß REACH Artikel 57(f) oder der delegierten Verordnung (EU) 2017/2100 der Kommission oder der delegierten Verordnung (EU) 2018/605 der Kommission in Mengen von 0,1 % oder mehr endokrinschädliche Eigenschaften aufweisen.

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

! SECTION 3: Composition / information on ingredients

3.1 Substances

not applicable

! 3.2 Mixtures

! Hazardous ingredients

| CAS No. | EC No. | Substance name | Concentration | Classification according to Regulation (EC) No 1272/2008 [CLP] | SCL/ M/ ATE |
|----------|-----------|---------------------------|---------------|--|--|
| 64-17-5 | 200-578-6 | ethanol | 5 - 10 % | Flam. Liq. 2; H225 Eye Irrit. 2; H319 | Eye Irrit. 2;H319: > = 50 % ATE(oral): 6200 mg/kg ATE(dermal): > 20000 mg/kg ATE(inhalation vapour): 95.6 mg/L |
| 112-34-5 | 203-961-6 | 2-(2-butoxyethoxy)ethanol | 1 - 2.5 % | Eye Irrit. 2; H319 | ATE(oral): 2410 mg/kg ATE(dermal): 2764 mg/kg ATE(Acute inhalation toxicity (aerosol)): > 29 ppm |

| REACH No. | Substance name |
|------------------|---------------------------|
| 01-2119457610-43 | ethanol |
| 01-2119475104-44 | 2-(2-butoxyethoxy)ethanol |

! Additional information

Constituents according to Detergents regulation (648/2004/EC):
 2-BROMO-2-NITROPROPANE-1,3-DIOL



A 001 986 94 71

Cleaning agents for plastics, prevents stress cracking

Print date 26.02.2023
Revision date 06.02.2023
Version 2.1 (en)
replaces version of 27.09.2021 (2.0)

SECTION 4: First aid measures

4.1 Description of first aid measures

Following inhalation

Provide fresh air.
In the event of symptoms refer for medical treatment.

Following skin contact

Wash with soap and water.

After eye contact

Remove contact lens
After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion

Do NOT induce vomiting.
Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam
Dry extinguishing powder
Carbon dioxide (CO₂)
Water mist

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Fire gas of organic material has to be classed invariably as respiratory poison.

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.



A 001 986 94 71

Cleaning agents for plastics, prevents stress cracking

Print date 26.02.2023
Revision date 06.02.2023
Version 2.1 (en)
replaces version of 27.09.2021 (2.0)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No special measures required.

For emergency responders

No special measures required.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.
Dilute with a lot of water

6.3 Methods and material for containment and cleaning up

For containment

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).
After taking up the material dispose according to regulation.

6.4 Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

No special technical protective measures are necessary.
No special fire protection measures are necessary.
Adhere to general precaution rules when handling chemicals

Advices on general occupational hygiene

Thorough skin-cleansing after handling the product.
Apply skin care products after work.
When using do not eat, drink, smoke, sniff.
Keep away from food and drink.
Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Storage class

10 Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Keep away from heat, sparks, open flames and other ignition sources.

7.3 Specific end use(s)

Recommendation

See section 1.2

**A 001 986 94 71****Cleaning agents for plastics, prevents stress cracking**

Print date 26.02.2023
 Revision date 06.02.2023
 Version 2.1 (en)
 replaces version of 27.09.2021 (2.0)

! SECTION 8: Exposure controls/personal protection**! 8.1 Control parameters****! Occupational exposure limit values**

| CAS No. | EC No. | Substance name | occupational exposure limit value |
|----------|-----------|-----------------------------------|---|
| 112-34-5 | 203-961-6 | 2-(2-Butoxyethoxy)ethanol | 10 [ml/m ³ (ppm)] 67,5 [mg/m ³] Short-term(ml/m ³) 15 Short-term(mg/m ³) 101,2 2006/15/EC |
| 112-34-5 | | Diethylene glycol monobutyl ether | 10 [ml/m ³ (ppm)] 67,5 [mg/m ³] Short-term(ml/m ³) 15 (1) Short-term(mg/m ³) 101,2 (1) (1) 15 minutes reference period (IE) |
| 112-34-5 | | Diethylene glycol monobutyl ether | 10 [ml/m ³ (ppm)] 67,5 [mg/m ³] Short-term(ml/m ³) 15 Short-term(mg/m ³) 101,2 (UK) |

! DNEL worker

| CAS No. | Substance name | DNEL value | DNEL type | Remark |
|----------|---------------------------|-------------------------|------------------------------------|--------|
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 101.2 mg/m ³ | acute inhalative (local) | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 67.5 mg/m ³ | long-term inhalative (systemic) | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 67.5 mg/m ³ | long-term inhalative (local) | |
| 64-17-5 | ethanol | 1900 mg/m ³ | acute inhalative (local) | |
| 64-17-5 | ethanol | 343 mg/kg | long-term dermal (systemic) | |
| 64-17-5 | ethanol | 950 mg/m ³ | long-term inhalative (systemic) | |

! DNEL Consumer

| CAS No. | Substance name | DNEL value | DNEL type | Remark |
|----------|---------------------------|------------------------|------------------------------------|--------|
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 50.6 mg/m ³ | acute inhalative (local) | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 1.25 mg/kg bw/day | long-term oral (repeated) | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 34 mg/m ³ | long-term inhalative (systemic) | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 10 mg/kg bw/day | long-term dermal (systemic) | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 34 mg/m ³ | long-term inhalative (local) | |
| 64-17-5 | ethanol | 950 mg/kg | acute inhalative (local) | |
| 64-17-5 | ethanol | 206 mg/kg | long-term dermal (systemic) | |
| 64-17-5 | ethanol | 114 mg/m ³ | long-term inhalative (systemic) | |
| 64-17-5 | ethanol | 87 mg/kg | long-term oral (repeated) | |



A 001 986 94 71

Cleaning agents for plastics, prevents stress cracking

Print date 26.02.2023
 Revision date 06.02.2023
 Version 2.1 (en)
 replaces version of 27.09.2021 (2.0)

| CAS No. | Substance name | DNEL value | DNEL type | Remark |
|---------|----------------|-----------------------|----------------------------------|--------|
| 64-17-5 | ethanol | 950 mg/m ³ | acute dermal, short-term (local) | |

!

PNEC

| CAS No. | Substance name | PNEC Value | PNEC type | Remark |
|----------|---------------------------|------------|-------------------------------|--------|
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 1 mg/L | aquatic, freshwater | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 0.1 mg/L | aquatic, marine water | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 3.9 mg/L | aquatic, intermittent release | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 4 mg/kg | sediment, freshwater | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 0.4 mg/kg | sediment, marine water | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 0.4 mg/kg | soil | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 200 mg/L | sewage treatment plant (STP) | |
| 64-17-5 | ethanol | 0.96 mg/L | aquatic, freshwater | |
| 64-17-5 | ethanol | 0.79 mg/L | aquatic, marine water | |
| 64-17-5 | ethanol | 3.6 mg/kg | sediment, freshwater | |
| 64-17-5 | ethanol | 2.9 mg/kg | sediment, marine water | |
| 64-17-5 | ethanol | 0.63 mg/kg | soil | |
| 64-17-5 | ethanol | 0.72 mg/kg | Secondary Poisoning | |
| 64-17-5 | ethanol | 580 mg/L | sewage treatment plant (STP) | |

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Safety glasses recommended during transfer
 EN 166

Hand protection

Glove material specification [type, thickness, permeation time / wearing time, wetting resistance]: nitrile rubber (> 480 min, 0.7 mm)
 For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
 The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374.

Respiratory protection

Not required

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

liquid

Colour

clear

**A 001 986 94 71****Cleaning agents for plastics, prevents stress cracking**

Print date 26.02.2023
 Revision date 06.02.2023
 Version 2.1 (en)
 replaces version of 27.09.2021 (2.0)

Odour

characteristic

Safety relevant basis data

| | Value | Method | Source, Remark |
|--|-----------------------------------|--------|-----------------------------------|
| Odour threshold: | not determined | | |
| Melting point/freezing point | not determined | | |
| Boiling point or initial boiling point and boiling range | > 78 °C | | |
| Boiling point or initial boiling point and boiling range | 78 °C | | CAS No.64-17-5 ethanol |
| flammability | solid | | not applicable |
| flammability | gaseous | | not applicable |
| Lower and upper explosion limit | not determined | | |
| Flash point | | | not applicable |
| Auto-ignition temperature | | | The product is not self-igniting. |
| Decomposition temperature | not determined | | |
| pH | in delivery state 10.5 (20 °C) | | |
| Viscosity | not determined | | |
| Solubility(ies) | Water solubility | | completely miscible |
| Partition coefficient n-octanol/water (log value) | not determined | | |
| Vapour pressure | not determined | | |
| Density and/or relative density | 0.98 (20 °C) | | |
| Relative vapour density | not determined | | |
| particle characteristics | not determined | | |

9.2 Other information**Other safety characteristics**

| | Value | Method | Source, Remark |
|-----------------------|-------|--------|------------------------------|
| Explosive properties: | | | The product is not explosive |

Other information

none

SECTION 10: Stability and reactivity**10.1 Reactivity**

No hazardous reactions with proper storage and handling.



A 001 986 94 71

Cleaning agents for plastics, prevents stress cracking

Print date 26.02.2023
 Revision date 06.02.2023
 Version 2.1 (en)
 replaces version of 27.09.2021 (2.0)

10.2 Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Animal data

| | Effective dose | Method,Evaluation | Source, Remark |
|---------------------------|---|-------------------|----------------|
| Acute oral toxicity | CAS No.112-34-5 2-(2-butoxyethoxy)ethanol LD50: 2410 mg/kg Species Rat | OECD 401 | |
| | CAS No.64-17-5 ethanol LD50: 6200 mg/kg Species Rat | OECD 401 | |
| Acute dermal toxicity | CAS No.64-17-5 ethanol LD50: > 20000 mg/kg Species Rat | OECD 402 | |
| | CAS No.112-34-5 2-(2-butoxyethoxy)ethanol LD50: 2764 mg/kg Species Rabbit | OECD 402 | |
| Acute inhalation toxicity | CAS No.64-17-5 ethanol Acute inhalation toxicity (vapour) LC50: 95.6 mg/L Species Rat Exposure time 4 h | | |
| | CAS No.112-34-5 2-(2-butoxyethoxy)ethanol Acute inhalation toxicity (aerosol) LC50: > 29 ppm Species Rat Exposure time 2 h | | |

Assessment/classification

The classification criteria have not been met according to the available data.



A 001 986 94 71

Cleaning agents for plastics, prevents stress cracking

Print date 26.02.2023
Revision date 06.02.2023
Version 2.1 (en)
replaces version of 27.09.2021 (2.0)

Skin corrosion/irritation

Animal data

| Result / Evaluation | Method | Source, Remark |
|---------------------|--------|----------------|
| non-irritant. | | |

Assessment/classification

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Animal data

| Result / Evaluation | Method | Source, Remark |
|---|----------|------------------------|
| CAS No.64-17-5 ethanol irritant1Specific Concentration Limit (SCL) Eye Irrit. 2; H319: 50 < C ≤ 100%Species Rabbit | OECD 405 | CAS No.64-17-5 ethanol |

Assessment/classification

Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract

Assessment/classification

Based on available data, the classification criteria are not met.

Skin sensitisation

Animal data

| Result / Evaluation | Dose / Concentration | Method | Source, Remark |
|---------------------|---|--------|----------------|
| not sensitising. | CAS No.112-34-5 2-(2- butoxyethoxy)ethanol Species Guinea pig | | |

Assessment/classification

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Assessment/classification

Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment/classification

Based on available data, the classification criteria are not met.

Reproductive toxicity

Assessment/classification

Based on available data, the classification criteria are not met.

STOT-single exposure

STOT SE 1 and 2

Assessment/classification

Based on available data, the classification criteria are not met.



A 001 986 94 71

Cleaning agents for plastics, prevents stress cracking

Print date 26.02.2023
 Revision date 06.02.2023
 Version 2.1 (en)
 replaces version of 27.09.2021 (2.0)

STOT SE 3

Irritation to respiratory tract

Assessment/classification

Based on available data, the classification criteria are not met.

Narcotic effects

Assessment/classification

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Animal data

| | Effective dose | Method | Specific effects: | Organs affected: | Source, Remark |
|---|---|----------|-------------------|------------------|----------------|
| Oral specific target organ toxicity (repeated exposure) | CAS No.64-17-5 ethanol NOAEL(C): 1760 mg/kg Species Rat Exposure time 90 Tage | OECD 408 | | Leber | |

Assessment/classification

Based on available data, the classification criteria are not met.

Aspiration hazard

Assessment/classification

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Symptoms related to the physical, chemical and toxicological characteristics

| | Effective dose | Method,Evaluation | Source, Remark |
|---------------------------------|----------------|-------------------|---|
| Endocrine disrupting properties | | | Der Stoff/dieses Gemisch enthält keine Bestandteile, die gemäß REACH Artikel 57(f) oder der delegierten Verordnung (EU) 2017/2100 der Kommission oder der delegierten Verordnung (EU) 2018/605 der Kommission in Mengen von 0,1 % oder mehr endokrinschädliche Eigenschaften aufweisen. |

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

| | Effective dose | Method,Evaluation | Source, Remark |
|----------------------------------|---|-------------------|----------------|
| Acute (short-term) fish toxicity | CAS No.64-17-5 ethanol LC50: > 100 mg/L Species Leuciscus idus (golden orfe) Test duration 48 h | OECD 203 | |



A 001 986 94 71

Cleaning agents for plastics, prevents stress cracking

Print date 26.02.2023
 Revision date 06.02.2023
 Version 2.1 (en)
 replaces version of 27.09.2021 (2.0)

| | Effective dose | Method,Evaluation | Source, Remark |
|---|---|-------------------|----------------|
| Chronic (long-term) fish toxicity | CAS No.112-34-5 2-(2-butoxyethoxy)ethanol LC50: > 100 mg/L not determined | | |
| Acute (short-term) toxicity to crustacea | CAS No.64-17-5 ethanol EC50 9268- 14221 mg/L Species Daphnia magna (Big water flea) Test duration 48 h | bibliography | |
| | CAS No.112-34-5 2-(2-butoxyethoxy)ethanol EC50 > 100 mg/L Species Daphnia magna (Big water flea) Test duration 48 h | | |
| Chronic (long-term) toxicity to aquatic invertebrate | CAS No.64-17-5 ethanol EC50 > 100 mg/L Species Daphnia magna (Big water flea) Test duration 24 h not determined | OECD 202 | |
| Acute (short-term) toxicity to algae and cyanobacteria | CAS No.112-34-5 2-(2-butoxyethoxy)ethanol EC50 > 100 mg/L Species Desmodesmus subspicatus | | |
| Chronic (long-term) toxicity to aquatic algae and cyanobacteria | CAS No.64-17-5 ethanol EL10 > 100 mg/L not determined | OECD 201 | |
| Toxicity to other aquatic plants/organisms | not determined | | |
| Toxicity to microorganisms | CAS No.112-34-5 2-(2-butoxyethoxy)ethanol EC10 1170 mg/L Species Pseudomonas putida Test duration 16 h | | |

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties



A 001 986 94 71

Cleaning agents for plastics, prevents stress cracking

Print date 26.02.2023
 Revision date 06.02.2023
 Version 2.1 (en)
 replaces version of 27.09.2021 (2.0)

| Effective dose | Method,Evaluation | Source, Remark |
|---------------------------------|-------------------|---|
| Endocrine disrupting properties | | Der Stoff/dieses Gemisch enthält keine Bestandteile, die gemäß REACH Artikel 57(f) oder der delegierten Verordnung (EU) 2017/2100 der Kommission oder der delegierten Verordnung (EU) 2018/605 der Kommission in Mengen von 0,1 % oder mehr endokrinschädliche Eigenschaften aufweisen. |

12.7 Other adverse effects

Additional ecotoxicological information

Additional information

Do not allow uncontrolled discharge of product into the environment.
 Do not allow undiluted or large quantities to escape into groundwater, water bodies or the sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose of waste according to applicable legislation.

Appropriate disposal / Package

Dispose of waste according to applicable legislation.

Remark

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

| | Land transport (ADR/RID) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) |
|--|--------------------------|----------------------|------------------------------------|
| 14.1 UN number or ID number | - | - | - |
| 14.2 UN proper shipping name | - | - | - |
| 14.3 Transport hazard class(es) | - | - | - |
| 14.4 Packing group | - | - | - |
| 14.5 Environmental hazards | No | No | No |

14.6 Special precautions for user

No data available

14.7 Maritime transport in bulk according to IMO instruments

not applicable

All transport carriers

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.



A 001 986 94 71

Cleaning agents for plastics, prevents stress cracking

Print date 26.02.2023
Revision date 06.02.2023
Version 2.1 (en)
replaces version of 27.09.2021 (2.0)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations (EU)

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC

VOC content, delivery state 10 %

not applicable

15.2 Chemical Safety Assessment

National regulations

Substance safety analysis was not performed for this mixture.

! SECTION 16: Other information

! Indication of changes

* Data changed compared with the previous version
Current safety data sheets are available at:
<https://gms.aftersales.mercedes-benz.com>

! Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Key literature references and sources for data

Safety data sheets of suppliers

! Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified according to the available hazard data for the constituents as defined in the classification criteria for mixtures for each hazard class in Appendix I of Regulation (EC) No 1272/2008.

Einstufungsverfahren:

Berechnung

Prüfdaten

Additional information

Adhere to existing national and local rules referring to chemicals.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Relevant H- and EUH-phrases (Number and full text)

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.